

**Topic:** Dihybrid Cross Punnett Squares

**Summary:** Students will learn about two trait crosses and Mendel's law of independent assortment.

**Goals & Objectives:** Students will be able to determine the probability of different human traits. Students will be able to explain the law of independent assortment.

**Standards:** CA Biology 2g. *Students know how to predict possible combinations of alleles in a zygote from the genetic makeup of the parents.*

**Time Length:** 10 minutes

**Prerequisite Knowledge:** Students know how to complete a punnett square for dominant and recessive traits. Students know vocabulary words like homozygous, heterozygous, dominant, recessive, genotype and phenotype. Students know how to calculate ratios.

**Materials:**

- Textbook for reference
- Handouts and pencils

**Procedures:**

1. Students work on the handout by themselves.

**Accommodations:** Students with an IEP can take the handout home if they need extra time, and/or do the first punnett square and questions and the question on independent assortment.

**Evaluation:**

Correct gamete genotypes for each punnett square are worth 1 point each for a total of 3 points. Completed punnett squares are worth 2 points each for a total of 6 points. Each of the punnett square questions is worth one point each for a total of 4 points.

Independent assortment question is worth 2 points. This assignment is worth a total of 15 points.

Name: \_\_\_\_\_ Row: \_\_\_\_\_

Date: \_\_\_\_\_ Period: \_\_\_\_\_

## Dihybrid Crosses

Complete the following punnett squares and answer the corresponding questions for human.

- 1) For humans, freckles and broad noses are dominant to no freckles and narrow noses. Use the punnett square below to determine the possible offspring from a cross between two heterozygous freckled broad nose people.


Genotypes: \_\_\_\_\_

Phenotypes: \_\_\_\_\_

Phenotypic Ratios: \_\_\_\_\_

- 2) For humans, large eyes and nearsightedness are dominant to small eyes and normal vision. Use the punnett square below to determine the possible offspring from a cross between a person who is homozygous dominant for both traits and homozygous recessive for both traits. Mate one offspring from the F<sub>1</sub> generation with a person who is homozygous recessive for both traits.


F<sub>1</sub>


F<sub>2</sub>

F<sub>2</sub> Phenotypic Ratios: \_\_\_\_\_

- 3) Explain how the two-trait punnett square demonstrates the law of independent assortment.

---

---